

Safe, innovative and ethical
wood finishing products.



Our mission is to change
the wood finishing and paint industry.



Tung oil is in every product by L.Co.

It is made by pressing the seeds of the tung tree and has the extraordinary benefit of penetrating into the pores of the wood, enhancing the natural color and figure of the grain while also drawing in our durable resin and waxes, sealing and protecting wood from the inside.

Our raw tung oil is foraged and pressed by our non-profit sister enterprise The Tung Oil Company. Proceeds of The Tung Oil Company go towards community development projects locally and provide living wages for individuals in the communities we help to support.

Low VOC.
Safe drying agents.
Organic earth pigments.
Safe for children's toys and furniture.
Non-toxic when fully cured.
Safe for food contact.
Plant based oils.

L.Co's mission is to change the wood finishing and paint industry by creating safer, more innovative and more ethical wood finishing products and environmental practices.

Products



HardWax Oil & Polish

Description and use:

L.Co's Hard Wax Oil & Polish is food contact safe when fully cured, easy to apply and can be used for periodic maintenance, repair, or as a standalone finish. Uniquely formulated with pure tung oil, refined linseed oil, isoparaffin, synthetic hard wax, modified waxes, modified alkyd resin, and safe drying agents.

Directions:

For periodic maintenance and light repairs: Clean the surface free of any waxes and dirt. Apply a small amount of L.Co Hard Wax Oil & Polish with a clean soft cotton cloth allowing the oil absorb into the wood for a few minutes. Wipe off any excess and buff the surface smooth until dry to the touch. Allow to dry overnight before use.




Tung Oil Finish

Description and use:

L.Co's Tung Oil Finish is food contact safe when fully cured, durable and easy to apply wood finish for interior use and gives your project a natural open pore look. Uniquely formulated with pure tung oil, refined linseed oil, isoparaffin, modified waxes, modified alkyd resin, and safe drying agents.

Directions:

For moderate to heavy repairs: Clean the surface being repaired with gentle soap and water. When dry, lightly sand the surface with #400 grit sandpaper if necessary. Apply with a cotton cloth, brush, or short nap roller in thin and light coats. Allow to dry 6-8 hours. Sand with #400 grit sandpaper between coats.



Exterior Oil

Description and use:

L.Co Exterior Oil has been formulated for use on outdoor surfaces such as fencing, railings, patio furniture, siding, windows and doors to withstand water and harsh weather conditions. Uniquely formulated with pure tung oil, refined linseed oil, isoparaffin, modified waxes, modified alkyd resin, safe drying agents, UV absorbers and light inhibitors.

Directions:

For moderate to heavy repairs: Clean the surface being repaired with gentle soap and water. When dry, lightly sand the surface with #400 grit sandpaper if necessary. Apply with a cotton cloth, brush, or short nap roller in thin and light coats. Allow to dry 2-4 hours. Sand with #400 grit sandpaper between coats.

Color Oil



Whitewash



Jet Black



Driftwood



Espresso



Pebble



Russet



Biscuit



Chocolate



Bright Gold



Caramel

The color samples shown above were made on solid ash wood and are for reference purposes only. Always test the color on a hidden area of the wood to verify your desired color before using.

Description and use:

L.Co's Color Oil can be used for interior or exterior projects using raw tung oil and organic earth pigments which allow the color to penetrate deep into the wood grain for a more clear and natural look. Color Oil is easy to apply, mix and match shades of color and is ideal for coloring unfinished wood furniture, hardwood floors, cabinets and trim.

Directions:

For new wood: Sand up to #400 grit sandpaper. Apply with a cotton cloth, brush, or short nap roller in thin and light coats. Allow to dry 2-4 hours. Sand with #400 grit sandpaper between coats and reapply if a darker color is desired. Seal with L.Co Tung Oil Finish for interior use, or L.Co Exterior Oil for exterior use.

Contemporary colors:

We stay current on what is popular today to give you a palette of contemporary colors that will fit your lifestyle. You can mix colors together and layer colors on top of one another, there is an infinite amount of possibilities.

Ingredients:

Uniquely formulated with pure tung oil, refined linseed oil, isoparaffin, organic pigment, modified waxes, modified alkyd resin, safe drying agents, UV absorbers and light inhibitors.



Hand-made in small batches.

Every one of L.Co's products has been painstakingly developed with our core mission in mind and that is to make superior and safe wood finishing products. With over 50 years in the industrial finishing industry and experience working with some of the world's largest furniture producers, we have been able to continually develop and improve our products and make them available across the world.

All of our products are non-flammable and non-toxic incorporating the highest quality solvents approved for cosmetic use to produce a low odor, low VOC finish. The synthetic hard wax used in our HardWax Oil & Polish is approved for food and cosmetic use and is extremely durable and waterproof. We take great care to ensure that only the safest and best raw materials go into making our products.

Oil.

No two oils are the same. A lot of popular "hard wax oil" products contain vegetable oils that do not completely dry and have limited film forming properties to protect your wood.

L.Co uses pure tung oil in all of its products as well as a refined linseed oil, the same high quality drying oils that have been used by shipwrights, fine artists, luthiers and wood workers for hundreds if not thousands of years.

Wax.

No two waxes are the same. A lot of popular "hard wax oil" products contain waxes like carnauba, beeswax or candelilla which are soft, scratch easily, do not dry and have a tendency to collect dirt and grime over time making refinishing very difficult.

L.Co uses only food contact safe modified waxes specifically developed for wood finishing that will never gum-up over time, provide a smooth to the touch feel, and can be recoated at any time without any problems.

A Hybrid Oil future.

Hybrid Oil is a single component oil + water wood finish ideal for high-wear commercial and residential applications.

Fast drying and curing.

Very high chemical resistance.

High wet film clarity.

Excellent grain enhancement.

Excellent scratch resistance.

Good hardness development.

Easy to apply.

Ultra low VOC.

Available in a variety of sheens.

Non-offensive low odor.

Contains UV absorbers and light inhibitors.

Allows for light foot traffic in 4 hours.

Will not amber over time.

Beautiful, rich, finished appearance.

Transparency.

With every product we make, we are transparent about what goes into them. L.Co's Hybrid Oil contains pure tung oil, refined linseed oil and uses the same high quality food contact safe modified waxes that are in all of our products. Our special blended acrylic emulsions, emulsifier, and additives give Hybrid Oil fantastic leveling, flow performance, and open working time.

Hybrid Oil will be available by summer of 2021.

To participate in our early trial program you can reach out to us via email:

contact@thelucerocompany.com

No raw materials used in L.Co products are listed under CA Prop 65. VOC compliant in all 50 states.

