

Care for where we live.




L.Co makes safe and easy to use wood care products made from the best tung oil in the world. Our tung oil is collected from sustainable forest management certified forests in Vietnam. We work directly with ethnic minority farmers and households to provide fair living wages. With support from non-profit organizations we are able to plant trees, a lot of trees! Over 300,000 to be exact and 1.2 million more in the next five years.







L.Co







We made our Interior Oil easy to apply, safe for food contact and extremely durable over time.

Drying time: 6-8 hours between each coat; overnight before use.

Made with pure tung oil, refined linseed oil, isoparaffin, modified waxes, modified alkyd resin, and safe drying agents.

Use Exterior Oil on outdoor surfaces such as fencing, railings, patio furniture, siding, windows and doors.

Drying time: 2-4 hours between each coat; overnight before use.

Made with pure tung oil, refined linseed oil, isoparaffin, modified waxes, modified alkyd resin, safe drying agents, UV absorbers and light inhibitors.





Color Oil can be used for interior or exterior projects, mix and match colors and is easy to apply.

Drying time: 2-4 hours between each coat; overnight before use.

Made with pure tung oil, isoparafin, pigments, modified waxes, modified alkyd resin, safe drying agents, UV absorbers and light inhibitors.





L.Co's Oil & Polish is food contact safe easy to apply and can be used for maintenance or as a finish.

Drying time: allow to dry overnight before use.

Made with pure tung oil, refined linseed oil, isoparaffin, synthetic hard wax, modified waxes, modified alkyd resin, and safe drying agents.

Pure Tung Oil ethically made from Sustainable Forest Management certified forests located in Vietnam.

Drying time: allow to dry overnight before use.

100% pure tung oil.



Invisible Oil

Interior Oil



Invisible Oil is for lighter colored woods to preserve the natural color without enhancing its tone.

Drying time: 2-4 hours between each coat; overnight before use.

Made with pure tung oil, isoparafin, pigments, modified waxes, modified alkyd resin, safe drying agents, UV absorbers and light inhibitors.